

**D4016-1 HINGE HALF, BASE**




**NOTES:**

- 1) MATERIAL: 304/316 STAINLESS STEEL BAR, PER ASTM A276  
REF DART SPEC M304B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.09 lbs

RELEASED  
2017-03-22  
ECN 17-535

APPROVED

B	ADDED -7; REFORMAT PER CURRENT STANDARD	RF	17.02.09
A	NEW ISSUE	JPH	10.01.29
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. B
MFG. APPR.	JLM	D4016	SHEET 1 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	BASKET HINGE	NTS
DATE	17.02.09	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



**D4016-3 HINGE HALF, LID**

**D4016-5 HINGE HALF, LIGHT LID**

**NOTES:**

1) MATERIAL -3: 304/316 STAINLESS STEEL BAR, PER ASTM A276  
REF DART SPEC M304B

-5: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR,  
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS4117/4128/4115/4116)  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)  
OR ASTM B211 OR ASTM B221  
REF DART SPEC M6061T6B

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX




6) IDENTIFICATION: NONE

7) WEIGHT -3: 0.04 lbs  
-5: 0.01 lbs

RELEASED  
2017-03-22

APPROVED

DESIGN	AJS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. B
MFG. APPR.	JLM	<b>D4016</b>	SHEET 2 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS-#	<b>BASKET HINGE</b>	NTS
DATE	17.02.09	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



GRAIN  
DIRECTION

**D4016-7 STOP**

- NOTES:
- 1) MATERIAL: 304/316 STAINLESS STEEL BAR, PER ASTM A276  
REF DART SPEC M304B
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 0.03 lbs

RELEASED  
2017 -03- 22

APPROVED

DESIGN	AJS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. B
MFG. APPR.	JLM	<b>D4016</b>	SHEET 3 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	<b>BASKET HINGE</b>	NTS
DATE	17.02.09	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	